Iron soleplate stain remover

Revision n. 0002 Revision date: 21/06/2011

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Code: [IRO002] 484000008406

Denomination | Iron soleplate stain remover

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Cleaner

Sector of use [SU]:

SU21 - Consumer uses: Private households (=general public = consumers)

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

PRYM CONSUMER GMBH & CO. KG, Zweifaller Str. 130, D-52224 Stolberg

Telephone: +49 (0)2402 - 14 04, Fax: +49 (0)2402 - 14 29 19

E-mail address of the competent person: info@chemical-check.de, k.schnurbusch@chemical-check.de

1.4. Emergency telephone number

For urgent safety information call the Anti-Poison Center of your country.

Check the emergency list on page 11.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) 1272/2008 (CLP)

Not determined

2.1.2 Classification according to Directives 67/548/EEC and 1999/45/EC (including amendments)

The mixture is not classified as dangerous in the terms of the directive 1999/45/EC.

2.2 Label elements

2.2.1 Labeling according to Regulation (EC) 1272/2008 (CLP)

Not determined

2.2.2 Labeling according to Directives 67/548/EEC and 1999/45/EC (including amendments)

Symbols: Not applicable Indications of danger: ---

R-phrases:

S-phrases:

Additions:

Safety data sheet available for professional user on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006.

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006.

SECTION 3: Composition/information on ingredients

3.1 Substance

. .

3.2 Mixture

Fatty acid soap	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	-
CAS	CAS n.v.
content %	1-5
Classification according to Directive 67/548/EEC	Irritant, Xi, R38
Classification according to Regulation (EC) 1272/2008 (CLP)	Skin Irrit. 2, H315

For the text of the R-phrases / H-phrases and classification codes (GHS/CLP), see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Normally not irritating to skin.

Wash thoroughly with soap and water.

Remove contaminated clothing immediately.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

CO2

Extinction powder

Water jet spray

Large fire:

Water jet spray / alcohol resistant foam

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of sulphur

Oxides of nitrogen

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

Avoid build up of dust.

Avoid contact with eyes or skin.

6.2 Environmental precautions

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Store at room temperature.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

© Chemical Name	general dust limit			Content %:
WEL-TWA: 10 mg/m3 (inhal. do	ust), 4 mg/m3	WEL-STEL:		
(respir. dust)				
BMGV:			Other information: -	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

^{** =} The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

Urea						
Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note
Workers / employees	Human - dermal	Short term, systemic effects	DNEL	580	mg/kg	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	580	mg/kg	
Workers / employees	Human - inhalation	Short term, systemic effects	DNEL	292	mg/m3	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	292	mg/m3	
Consumer	Human - dermal	Short term, systemic effects	DNEL	580	mg/kg	
Consumer	Human - dermal	Long term, systemic effects	DNEL	580	mg/kg	
Consumer	Human - inhalation	Short term, systemic effects	DNEL	125	mg/m3	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	125	mg/m3	
Consumer	Human - oral	Short term	DNEL	42	mg/kg	
Consumer	Human - oral	Long term	DNEL	42	mg/kg	
	Environment - freshwater		PNEC	0,047	mg/l	

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

With danger of contact with eyes.

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Normally not necessary.

With long-term contact:

Protective latex rubber gloves (EN 374).

Protective hand cream recommended.

Skin protection - Other:

Usual protective working garments

Respiratory protection:

Normally not necessary.

Thermal hazards:

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Solid

Colour: According to specification

Odour: Characteristic
Odour threshold: Not determined
pH-value: Not determined
Melting point/freezing point: Not determined
Initial boiling point and boiling range: Not determined

Flash point: n.a.

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Lower explosive limit: n.a. Upper explosive limit: n.a.

Vapour pressure:
Vapour density (air = 1):

Density:
Not determined

Bulk density:
Not determined

Solubility(ies):
Not determined

Water solubility:
Soluble

Partition coefficient (n-octanol/water):
Not determined

Auto-ignition temperature: No

Decomposition temperature:

Not determined Viscosity:

Not determined

Explosive properties: Product is not explosive.

Oxidising properties: Not determined

9.2 Other information

Miscibility:

Fat solubility / solvent:

Conductivity:

Surface tension:

Solvents content:

Not determined

Not determined

Not determined

Not determined

Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

See also Subsection 10.2 to 10.6. The product has not been tested.

10.2 Chemical stability

See also Subsection 10.1 to 10.6.

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

See also Subsection 10.1 to 10.6. No dangerous reactions are known.

10.4 Conditions to avoid

See also section 7.
Protect from humidity.

10.5 Incompatible materials

See also section 7.

None known

10.6 Hazardous decomposition products

See also Subsection 10.1 to 10.5.

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

Possibly more information on health effects, see Section 2.1 (classification).

Iron Cleaner Art.: 987 016						
Toxicity/effect	Endpoi nt	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal						n.d.a.
route:						- 1 -
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin sensitisation:						n.d.a.
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - repeated exposure (STOT- RE):						n.d.a.
Aspiration hazard:						n.d.a.
Respiratory tract irritation:						n.d.a.
Repeated dose toxicity:						n.d.a.
Symptoms:						n.d.a.
Other information:						Classification according to calculation procedure.
Other information:						According to current knowledge that mixture does not endanger man under normal conditions of application.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Iron Cleaner Art.: 987 016							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:							n.d.a.
Toxicity to daphnia:							n.d.a.
Toxicity to algae:							n.d.a.
Persistence and degradability: Bioaccumulative potential:							The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents., Data to support this assertion are held at the disposa of the competent authorities of the Member States and wibe made available to them, at their direct request or at the request of a detergent manufacturer. n.d.a.
Mobility in soil:							n.d.a.
Results of PBT and							n.d.a.
vPvB assessment:							
Other adverse effects:							n.d.a.
Other information:							According to the recipe contains no AOX.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC)

07 06 99 wastes not otherwise specified

20 01 29 detergents containing dangerous substances

Recommendation:

Pay attention to local and national official regulations

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Recommended cleaner:

Water

SECTION 14: Transport information

General statements

UN number: n.a

Transport by road/by rail (ADR/RID)

UN proper shipping name:

Transport hazard class(es):

Packing group:

Classification code:

LQ (ADR 2013):

LQ (ADR 2009):

n.a.

n.a.

Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

UN proper shipping name:

Transport hazard class(es): n.a.
Packing group: n.a.
Marine Pollutant: n.a

Environmental hazards: Not applicable

Transport by air (IATA)

UN proper shipping name:

Transport hazard class(es): n.a.
Packing group: n.a.

Environmental hazards: Not applicable

Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture For classification and labelling see Section 2.

 Observe restrictions:
 n.a.

 VOC (1999/13/EC):
 0%

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

These details refer to the product as it is delivered.

Revised sections: n.a.

The following phrases represent the posted R phrases / H phrases, Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

38 Irritating to skin.

H315 Causes skin irritation.

Skin Irrit. - Skin irritation

Any abbreviations and acronyms used in this document:

```
AC.
       Article Categories
               according, according to
acc., acc. to
ACGIH American Conference of Governmental Industrial Hygienists
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement
concerning the International Carriage of Dangerous Goods by Road)
AOEL Acceptable Operator Exposure Level
AOX Adsorbable organic halogen compounds
approx.
               approximately
               Article number
Art., Art. no.
       Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
ATE
BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)
       Bioconcentration factor
BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)
      Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol)
BMGV Biological monitoring guidance value (EH40, UK)
BOD Biochemical oxygen demand
BSEF Bromine Science and Environmental Forum
       body weight
CAS Chemical Abstracts Service
CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids
CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques
CIPAC Collaborative International Pesticides Analytical Council
CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of
substances and mixtures)
CMR carcinogenic, mutagenic, reproductive toxic
COD Chemical oxygen demand
CTFA Cosmetic, Toiletry, and Fragrance Association
DMEL Derived Minimum Effect Level
DNEL Derived No Effect Level
DOC Dissolved organic carbon
DT50 Dwell Time - 50% reduction of start concentration
DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes)
e.a.
      for example (abbreviation of Latin 'exempli gratia'), for instance
      European Community
ECHA European Chemicals Agency
EEA European Economic Area
EEC European Economic Community
               European Inventory of Existing Commercial Chemical Substances
EINECS
ELINCS
               European List of Notified Chemical Substances
      European Norms
EPA
      United States Environmental Protection Agency (United States of America)
ERC
      Environmental Release Categories
ES
      Exposure scenario
etc.
      et cetera
EU
      European Union
EWC European Waste Catalogue
      Fax number
Fax.
      general
GHS
      Globally Harmonized System of Classification and Labelling of Chemicals
GWP Global warming potential
HET-CAM
               Hen's Egg Test - Chorionallantoic Membrane
HGWP Halocarbon Global Warming Potential
IARC International Agency for Research on Cancer
IATA
      International Air Transport Association
      Intermediate Bulk Container
IBC
IBC (Code)
               International Bulk Chemical (Code)
       Inhibitory concentration
IMDG-code
               International Maritime Code for Dangerous Goods
      including, inclusive
IUCLIDInternational Uniform Chemical Information Database
      lethal concentration
LC50 lethal concentration 50 percent kill
LCLo lowest published lethal concentration
      Lethal Dose of a chemical
LD50 Lethal Dose, 50% kill
LDLo Lethal Dose Low
```

LOAELLowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration LOEL Lowest Observed Effect Level LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicable n.av. not available n.c. not checked n.d.a. no data available

NIOSH National Institute of Occupational Safety and Health (United States of America)

NOAEC No Observed Adverse Effective Concentration

NOAEL No Observed Adverse Effect Level

NOEC No Observed Effect Concentration

NOEL No Observed Effect Level ODP Ozone Depletion Potential

OECD Organisation for Economic Co-operation and Development

org. organic

PAH polycyclic aromatic hydrocarbon PBT persistent, bioaccumulative and toxic

PC Chemical product category

PE Polyethylene

PNEC Predicted No Effect Concentration POCP Photochemical ozone creation potential

ppm parts per million PROC Process category PTFE Polytetrafluorethylene

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SADT Self-Accelerating Decomposition Temperature

SAR Structure Activity Relationship

SU Sector of use

SVHC Substances of Very High Concern

Tel. Telephone

ThOD Theoretical oxygen demand

TOC Total organic carbon

TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).

WHO World Health Organization

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.

Iron soleplate stain remover

Revision n. 0002 Revision date: 23/10/2013

INGREDIENTS SHEET

Ingredient data sheet in accordance with Article 9(3) of Regulation (EC) 648/2004 for detergents - datasheet for medical personnel -

Name of the detergent:

Manufacturer:

Iron Cleaner – Activ'steam (cod. 480131000103) PRYM CONSUMER GMBH & CO. KG

Zweifaller Str. 130 D-52224 Stolberg

INCI name	European Pharmacopoeia name	common chemical name / IUPAC name	CAS number
	10%	or more	
UREA	ureum	Urea	57-13-6
		Toluenesulphonamide	1333-07-9
	1% or over, be	ut less than 10%	
		soap of linseed oil	
	0,1% or over,	but less than 1%	
SODIUM CARBONATE	natrii carbonas	Sodium carbonate	497-19-8
	less th	nan 0,1%	
POTASSIUM HYDROXIDE PARFUM	kaliihydroxidum	Potassium hydroxide	1310-58-3
		(R) - p - mentha - 1,8 - diene	5989-27-5
		3 - methyl - 4 - (2,6,6 - trimethyl - 2 -cyclohexen - 1 - yl) - 3 - buten - 2 - one	127-51-5

Emergency telephone numbersFor urgent safety information call the Anti-Poison Center of your country:

	COUNTRY	CUSTOMER SERVICE NR.	ANTI-POISON CENTER NR.
	AUSTRIA	(0043) 050 6700 200	(0043) 01 406 43 43
	BELGIUM	0032 (0)2 263 33 33	(0032) 070 245 245
	CZECK REP.	(00420) 840 111 313	(00420) 224 91 54 02
(DENEMARK	(0045) 44880280	(0045) 82121212
lue	FINLAND	(09) 61336 235	(09) 471977
	FRANCE	(0033) 0892 700 150	(0033) 01 40 05 48 48
	GERMAN	(0049) 0711 93533655	(0049) 0761 19240
	GREECE	(0030) 2109946400	(0030) 2107793777
	HOLLAND	0031 (0)76 530 6400	(0031) 030 274 8888
	HUNGARY	(0036) 06 40 109 109	(0036) 80 20 11 99
	IRELAND	(00353) 0844 815 8989	(00353) 1 8092566
	ITALY	(0039) 199 580 480	(0039) 02 66101029
(NORWAY	(0047) 22782500	(0047) 22 59 13 00
<u></u>	POLAND	(0048) 801 900 666	Warszawa: (0048) 22 619 66 54 Gdańsk: (0048) 58 682 04 04 Poznań: (0048) 61 847 69 46 Kraków: (0048) 12 411 99 99
(PORTUGAL	(00351) 707 203 204	(00351) 808 250143
	ROMANIAN	(0040) 0372 117 745	
	RUSSIA	007 (495)745 57 31	
•	SLOVAKIA	(00421) 0850 003 007	(00421) 2 54774166
1	SPAIN	(0034) 902 203 204	(0034) 915 620 420
	SWEDEN	(0046) 0771 751570	(0046) 08 331231
①	SWISS	(0041) 0848 801 005	(0041) 145
#	UK	(0044) 0844 815 8989	(0044) 0845 46 47 (0044) 020 7188 0600
	UCRAIN	(00380) 0 800 501 150	