General safety warning signs and instructions





General warnings, please observe the following instructions!



Warning, crushing hazard!



Warning, sharp object!



Warning of hot surfaces!



Warning of flammable substances / fire hazard warning



Read the operating instructions for your device and the enclosed safety instructions carefully!



Always disconnect your device from the power source before carrying out repair work!

Always wear suitable protective gloves!





Safety instructions



Washing machine

IMPORTANT

These are only exemplary illustrations, please always refer to the operating instructions for your device!

All safety instructions describe in detail the potential risks they address and contain precise instructions on how to avoid injury, damage to property or electric shock as a result of improper handling. Please observe the following guidelines:




- 1. Disconnect the appliance from the power supply before carrying out the procedures described.
- 2. Use protective gloves before starting work.
- 3. Only carry out the described procedures when the appliance is cold.





- Always disconnect the appliance from the power source before carrying out installation work.
- Installation and repairs should be carried out by qualified specialists in accordance with the manufacturer's instructions and the applicable local safety regulations. Therefore, only carry out repairs or replace parts yourself if this is expressly provided for in the user manual.



- Only use certified spare parts, in case of doubt original spare parts.
- Read all instructions carefully to avoid improper use and the associated risk of injury.
- Do not touch accessories and spare parts with wet hands.
- Take care with hot surfaces: Do not touch hot surfaces of the appliance.







 Keep packaging material out of the reach of children: Children could wrap themselves in packaging materials such as plastic bags or foils or pull them over their heads, which can lead to suffocation.
Therefore, make sure that packaging materials are kept out of the reach of children.










Removing the door seal

- 1. Open the front.
- 2. Release the front sealing edge of the door seal from the retaining plate (1) and fold it inwards.
- 3. Loosen the clamping ring and remove the door seal with clamping ring (2).



Condensation drain

